L Number	Hits	Search Text	DB	Time stamp
1	2	("6065139").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:21
2	4	(("4455601") or ("5878205")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:50
3	4	6065139.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:10
4	6513	surveillan$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:12
5	30	surveillance near2 (byte or bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:21
6	1	(surveillance near2 (byte or bit)) with (nonvolatile or ram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:14
7	11	surveillan$4.ti. and (surveillance near2 (byte or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:14
8	12	surveillance near2 byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:24
9	1	surveillance with byte with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:24
10	0	surveillance with bit with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:25

11	1	surveillance with code$1 with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:25
12	29	(surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:26
13	23	((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:57
14	1	(((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.)) and surveillan$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:31
15	164	surveillan$4.ti. and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:58
16	1	(compar$4 or match$4) same (official near2 response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:00
17	201567	(compar$4 or match$4) same response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:00
18	33	(surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:01
19	32	((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:01
20	8	(((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) and (71$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:08

L Number	Hits	Search Text	DB	Time stamp
-	3	surveilian$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:37
-	24947	surveillan$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:38
-	67	surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:47
-	2	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time) with processor$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:41
-	3	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time) same processor$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:43
-	1	surveillan$4 adj2 byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:43
-	16	surveillan$4 adj2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:44
-	39	surveillan$4 adj2 code$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:44
-	0	(surveillan$4 adj2 bit) and (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:45
-	1	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time) same (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:45

-	1	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time) and (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:45
-	0	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) with time) and (surveillan$4 adj2 bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:45
-	127	surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) same time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:46
-	1	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) same time) and (surveillan$4 adj2 bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:46
-	1	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4) same time) and (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:47
-	649	surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:48
-	5	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) and (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:44
-	1	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) and (surveillan$4 adj2 bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:44
-	5	((surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) and (surveillan$4 adj2 code$)) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:50
-	24	(surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) same processor$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:51

·	1	((surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) same processor$) and (surveillan$4 adj2 code$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:51
·	20	((surveillan$4 near4 (test$4 or diagnos$4 or analyz$4 or analis$4)) same processor$) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:56
·	1		USPAT	2004/01/13 17:55
·	1		USPAT	2004/01/13 17:55
·	6513	2.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:56
·	201139	processor.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:56
·	165	2.ti. and processor.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:57
·	3116831	time.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:57
·	31	(2.ti. and processor.ti.) and time.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 17:58

09/891,339

L Number	Hits	Search Text	DB	Time stamp
1	2	("6065139").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:21
2	4	(("4455601") or ("5878205")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:50
3	4	6065139.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:10
4	6513	surveillan$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:12
5	30	surveillance near2 (byte or bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:21
6	1	(surveillance near2 (byte or bit)) with (nonvolatile or ram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:14
7	11	surveillan$4.ti. and (surveillance near2 (byte or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:14
8	12	surveillance near2 byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:24
9	1	surveillance with byte with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:24
10	0	surveillance with bit with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:25

11	1	surveillance with code$1 with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:25
12	29	(surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:26
13	23	((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:57
14	1	(((surveillance or monitor$4 or track$4 or - supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.)) and surveillan$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:31
15	164	surveillan$4.ti. and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:58
16	1	(compar$4 or match$4) same (official near2 response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:00
17	201567	(compar$4 or match$4) same response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:00
18	33	(surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:01
19	32	((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:01
20	8	(((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) and (71$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:08

| 22 | 0 | (((((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) not (((((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) and (71$/$.ccls.))) and (surveillance near2 (byte or bit)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/14 16:08 |
| 21 | 24 | ((((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) not (((((surveillan$4.ti. and (7$/$.ccls.)) and ((compar$4 or match$4) same response)) not (((surveillance or monitor$4 or track$4 or supervis$6) with (bit or byte or code$) with NVRAM) and (7$/$.ccls.))) and (71$/$.ccls.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/14 16:13 |